

AD-A055 415

DAVID W TAYLOR NAVAL SHIP RESEARCH AND DEVELOPMENT CE--ETC F/6 20/4  
FRICTIONAL DRAG REDUCTION - A LITERATURE SURVEY OF PROGRESS FRO--ETC(U)  
MAR 78 P S GRANVILLE

UNCLASSIFIED


DTNSRDC/SPD-78-569-05

NL

[OF]  
AD  
A055415



END  
DATE  
FILMED  
8 -78  
DDC



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

FOR FURTHER TRAN

78-SPD-569-05

**DAVID W. TAYLOR NAVAL SHIP  
RESEARCH AND DEVELOPMENT CENTER**

Bethesda, Md. 20084



12

FRictional DRAG REDUCTION -  
A LITERATURE SURVEY OF PROGRESS  
FROM SUMMER 1976 TO FALL 1977

by


Paul S. Granville

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

FRictional DRAG REDUCTION - A LITERATURE SURVEY  
OF PROGRESS FROM SUMMER 1976 TO FALL 1977

DDC FILE COPY

SHIP PERFORMANCE DEPARTMENT  
DEPARTMENTAL REPORT




HE

March 1978

78-SPD-569-05

78 06 15 035

## MAJOR DTNSRDC ORGANIZATIONAL COMPONENTS



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 78-SPD-569-05	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 6 FRICTIONAL DRAG REDUCTION - A LITERATURE SURVEY OF PROGRESS FROM SUMMER 1976 TO FALL 1977		5. TYPE OF REPORT & PERIOD COVERED
7. AUTHOR(s) 9 Paul S. Granville		6. PERFORMING ORG. REPORT NUMBER
8. CONTRACT OR GRANT NUMBER(s) 16 SR 02304		17 SR 02304-03
9. PERFORMING ORGANIZATION NAME AND ADDRESS David Taylor Naval Ship R&D Center Bethesda, MD 20084		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61151N SR 0230103
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Sea Systems Command Washington, DC 20360		12. REPORT DATE 10 March 1978
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) 12 22 p.		13. NUMBER OF PAGES
15. SECURITY CLASS. (of this report) UNCLASSIFIED		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 59, if different from Report) 14 DTNSRDC/SPD-78-569-05		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Drag Reduction		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A summary of progress in the attainment of frictional drag reduction, particularly by polymer additives, is presented in terms of highlights and bibliographical items from the summer of 1976 to the fall of 1977.		

389 694

DD FORM 1473  
1 JAN 73EDITION OF 1 NOV 68 IS OBSOLETE  
S/N 0102-LF-014-6601

i

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

FRICTIONAL DRAG REDUCTION - A LITERATURE SURVEY  
OF PROGRESS FROM SUMMER 1976 TO FALL 1977

Introduction

The reduction of turbulent skin friction has become increasingly necessary for aircraft and ships because of the markedly increased cost of fuel. Major efforts are being mounted by NASA to reduce the drag of airplanes (47)\* of which turbulent skin friction is a major component. Much effort is being devoted to the possible use of compliant surfaces either passively or even actively by controlled oscillatory waves. Other methods are being considered such as corrugated surfaces and longitudinal grooves. For hydrodynamic applications, however, most research on drag reduction is still being devoted to polymer additives.

The proceedings of the 1976 Symposium on Structure of Turbulence and Drag has been published in Physics of Fluids, Vol. 20, No. 10, Part 2, October 1977 (11, 29, 31, 42, 45, 71, 74, 80, 82, 84, 85, 87, 91, 100, 101, 112, 113, 117, 118, 120, 126, 130).

A second international conference was held on drag reduction in 1977 at the University of Cambridge (9, 12, 13, 14, 20, 21, 39, 44, 51, 53, 56, 63, 64, 65, 81, 86, 90, 92, 97, 103, 105, 108, 111, 114, 123, 124, 125, 127, 129). Here too, the emphasis was on polymer additives with other methods playing a secondary role. Among these other methods were papers on stabilizing laminar boundary layers in water by heating the body surface (64, 97, 124). In this connection, there was also an AGARD conference on transition from laminar to turbulent flow (134, 135).

A literature review for 1975 to 1976 is provided by Hoyt (53) on polymeric drag reduction.

---

\* Numbers in parenthesis refer to items in the bibliography.

78 06 15 035

Progress in the reduction of turbulent skin friction is reviewed for the period, summer of 1976 to fall 1977, as a continuation of past surveys (38). A bibliography is presented which shows that polymer additives still dominate drag-reduction research. Significant highlights and interesting items are briefly mentioned.

### Fundamentals

Although the similarity laws provide characterizations of the drag-reducing polymer solutions which are sufficient for engineering predictions, the need exists for physical explanations on a more fundamental level. Hinch (49), Lumley (74), and Landahl (71) are convinced that the extension of the polymer molecular coils under shear provides a physical presence sufficiently large to affect turbulent shear stress generation. The extended molecules then stabilize the momentary inflectional velocity profiles arising from the bursting process observed at the wall (43, 116).

An additional difficulty in controlled experiments with drag-reducing polymers is the mix of molecular weights present in commercially available supplies. Berman (10) and Berman and Yuen (12) have shown that the highest molecular weights predominate in drag-reducing effectiveness. Dschagarowa and Mennig (28) further demonstrate experimentally the predominant effect of high molecular weight and increased polymer coil dimensions in enhancing drag reduction.

An interesting experiment is described by Cowden et al. (19) wherein molecules of Polyox are subjected to an electric field with a consequent loss of drag-reducing effectiveness. This confirms an earlier view that the gels of Polyox provide drag reduction. The electric field then removes macroscopic gel particles from the boundary layer and hence a lesser drag reduction results.

White Section		<input checked="" type="checkbox"/>
Buff Section		<input type="checkbox"/>
.....		
.....		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL. and/or SPECIAL	
A		

### Diffusion of Injected Polymer Solution

Applications of polymer technology to drag reduction of external boundary layers involve the injection and subsequent diffusion of concentrated polymer solutions from the wall. Latto and El Riedy (73) confirm previously-defined zones of polymer concentration profiles; an initial zone next to the wall through the laminar sublayer where the concentration is almost constant and the diffusion is slow; an intermediate layer through the buffer layer where diffusion is rapid; a transient zone where diffusion occurs at a more moderate rate through the rest of the boundary layer and a final zone where the polymer fills the boundary layer. The initial zone of very high concentration may actually result in a drag increase over this region due to the increased viscosity of polymer solution. It is concluded that multiple injection of less concentrated solutions may provide more drag reduction.

Wu et al. (127) reconfirm that drag reduction is governed by the concentration at the trailing edge of a body and that too great an initial concentration is less beneficial. Other studies of injected polymer solutions are given in (72, 110, and 121).

### Applications

Efforts continue to apply polymer drag-reduction technology to engineering problems such as reducing the pressure losses in pipe flows. Methods have been devised to scale-up laboratory results in order to achieve more precise predictions (20, 39, 101). Zakin et al. (131) describe oil-water emulsions combined with drag-reducing polymers as an improved method of petroleum transport in long pipe lines. Sellin (102) investigates the economics of providing drag-reducing polymers to increase sewer capacity in lieu of new sewers. Shenoy (107) applies drag-reducing surfactants to hot-water heating systems to improve performance. More economical disposal of fly ash from power plants by pipe-line transport is investigated by Pollert (90) who adds polymers to fly ash-water

mixtures. Dobrychenko et al. (25) consider the use of surfactants as drag-reducing agents in hydraulic applications because of lack of susceptibility to destruction by mechanical and chemical means.

Bilgen and Vasseur (14) analyze the possible gains in efficiency for hydraulic machines using drag-reducing polymers at the condition of maximum drag reduction. Further experimental studies on polymer injection on hydrofoils have been performed to ascertain optimal injectional flow rates on drag and lift (32, 109). Hoyt and Taylor (54) describe their latest work on the effect of polymers on waterjets issuing into the atmosphere. A simple method is proposed for predicting drag reduction on bodies in terms of form factors and equivalent flat plates (40).

#### Compliant Coatings

The development of passive compliant coatings to reduce turbulent skin friction is still in the research stages which is to say that no reliable method of designing or manufacturing coatings has been devised. It is not known what motions of a compliant coating can produce drag reduction. A successful coating does not seem to exist as yet. The problem may be considered in two stages: first to find out what motions produce drag reduction; secondly, to design and manufacture a flexible coating which will produce these motions under the stimulus of the turbulent pressure fluctuations from the boundary layer itself.

In order to produce controlled motions in a compliant coating to study drag reduction effects, Weinstein and Balasubramanian (125) have designed an electrostatically-driven surface which is to be tested in subsequent experiments.

Bushnell et al. (15) and Dinkelacker (24) describe the current situation of compliant coatings in considerable detail. Related papers are (4, 48, and 78).

Experiments using compliant coatings on rotating disks are described by Reed (96), Hansen and Hunston (46), and Roschke (99).

Romanenko (98) ascribes any drag reduction on a dolphin not to its compliant skin but to favorable pressure gradients and the accompanying laminar flow arising from the whipping of the tail to provide propulsion. For coasting dolphins, the flow is completely turbulent.

Kramer (69) is now working on a three-layer coating to delay transition from laminar to turbulent flow.

Theoretical investigations involving velocity perturbations due to compliant wall motions have been made by Tsahalidis (119), Yang and Heller (128), and Zimmermann (132, 133). It is not certain that the consideration of velocity perturbation is the correct physical model to account for any possible drag reduction. Bushnell et al. (15) believe that compliant-wall drag reduction may result from an interference in the bursting cycle observed in turbulent flow next to the wall.

#### Laminar Flow Studies

Keeping the flow laminar in the boundary layer encompassing the surface of a body is a potent method of drag reduction for moderate Reynolds numbers. The object is to stabilize the laminar boundary layer by providing fuller velocity profiles. An incoming normal velocity through the body surface by distributed suction is one method for producing more stable velocity profiles. Kozlov and Tsyganyuk (68) describe experiments on a body of revolution which achieves extensive laminar flow by distributed suction. Pfenniger (88) summarizes past efforts, starting in 1949, in attaining laminar flow on aircraft wings by means of suction through narrow slots.

Another technique to achieve more stable velocity profiles is by heating the surfaces of water-immersed bodies (134, 135). The variation of water viscosity with temperature gives rise to more stable velocity profiles

and consequently a greater extent of laminar flow. Reshotko (92) calculates the reduced drag of bodies with heated surfaces. Wazzan and Gazley (124) show analytically the combined effects of favorable pressure gradients and heated walls in providing more stable velocity profiles. King et al. (64) show that accelerated motions of a body contribute to the formation of more stable velocity profiles. However, the combined effects of acceleration, favorable pressure gradient, and heated walls are not linearly additive. The favorable effects of acceleration are reduced by the presence of the other two effects. Kosecoff et al. (67) show in their calculations that the destabilizing effects of surface roughness are increased by favorable pressure gradients and heated walls.

## BIBLIOGRAPHY - FRICTIONAL DRAG REDUCTION

SUMMER 1976 TO FALL 1977

1. Achia, B.U. and D.W. Thompson, "Structure of the Turbulent Boundary in Drag-Reducing Flow," *Journal of Fluid Mechanics*, Vol. 81, Part 3, pp. 439-464 (13 Jul 1977).
2. Alonso, C.V., W.H. Klaus, and K.F. Wylie, "Turbulent Characteristics of Drag-Reducing Flows," *Journal of Hydraulic Research*, Vol. 14, No. 2, pp. 103-113 (1976).
3. Arndt, R.E.A., M.L. Billet, J.W. Holl, and C.B. Baker, "A Note on the Inhibition of Cavitation in Dilute Polymer Solutions," *Applied Research Laboratory, Pennsylvania State University*, Tech. Memo. 75-285 (Nov 1975).
4. Ash, R.L., D.M. Bushnell, L.M. Weinstein, and R. Balasubramanian, "Compliant Wall Surface Motion and its Effect on the Structure of a Turbulent Boundary Layer," in "Turbulence in Liquids," J.L. Zakin and G.K. Patterson, eds., pp. 220-243 (Proceedings of 4th Symposium on Turbulence in Liquids, Sep 1975), Science Press, Princeton, NJ.
5. Avaneson, A.M. and I.A. Avetisyan, "Effect of Polymer Additives on Sound Propagation in Water Containing Bubbles," *Soviet Physics-Acoustics*, Vol. 22, No. 5, pp. 359-360 (Sep-Oct 1976).
6. Avanesov, A.M., I.A. Avetisyan, and A.T. Listrov, "Influence of Polymer Additives on Bubble Motion and Cavitation Noise Intensity," *Soviet Physics-Acoustics*, Vol. 22, No. 6, pp. 461-464 (Nov-Dec 1976).
7. Bazin, V.A., Y.N. Barabanova, and A.F. Pokhilko, "Effect of Dilute Aqueous Polymeric Solutions on the Onset of Cavitation on a Cylinder," *Fluid Mechanics - Soviet Research*, Vol. 5, No. 3, pp. 79-82 (May-Jun 1976).
8. Baid, K.M. and A.B. Metzner, "Rheological Properties of Dilute Polymer Solutions Determined in Extensional and in Shearing Experiments," *Transactions of Society of Rheology*, Vol. 21, No. 2, pp. 237-260 (1977).
9. Beattie, D.R.H., "Some Aspects of Two-Phase Flow Drag Reduction," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
10. Berman, N.S., "Drag Reduction of the Highest Molecular Weight Fractions of Polyethylene Oxide," *Physics of Fluids*, Vol. 20, No. 5, pp. 715-718 (May 1977).

11. Berman, N.S., "Flow Time Scales and Drag Reduction," *Physics of Fluids*, Vol. 20, No. 10, Part 2, pp. S168-S174 (Oct 1977).
12. Berman, N.S. and J. Yuen, "The Study of Drag Reduction Using Narrow Fractions of Polyox," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
13. Bertshy, J.R. and F.H. Abernathy, "Modifications to Laminar and Turbulent Boundary Layers Due to the Addition of Dilute Polymer Solutions," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
14. Bilgen, E. and P. Vasseur, "Feasibility of Utilization of Drag Reducing Additives in Hydraulic Machines," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
15. Bushnell, D.M., J.N. Hefner, and R.L. Ash, "Effect of Compliant Wall Motion on Turbulent Boundary Layers," *Physics of Fluids*, Vol. 20, No. 10, Part 2, pp. S31-S48 (Oct 1977); also in "Special Course on Concepts for Drag Reduction," AGARD Report 654 (Jun 1977).
16. Chiou, C.S. and R.J. Gordon, "Vortex Inhibition: Velocity Profile Measurements," *A.I.Ch.E. Journal*, Vol. 22, No. 5, pp. 947-950 (Sep 1976).
17. Chodorkowskij, J.S., "Turbulente Strömung einer visko-elastischen Flüssigkeit durch glatte und rauhe Rohre," *Zeitschrift für angewandte Mathematik und Mechanik*, Vol. 56, No. 10, pp. T388-T392 (Oct 1976).
18. Chosnek, J., "Split-Film Anemometry in a Drag Reducing Solution," Ph.D. Thesis, University of Missouri/Rolla (1975), University Microfilms 76-14614.
19. Cowden, D., J. McLaughlin, and S. Aarj, "Effects of Electric Fields on Polymeric Drag Reduction," *Journal of Colloid and Interface Science*, Vol. 60, No. 3, pp. 578-579 (Jul 1977).
20. DeLoof, J.P., B. de Lagarde, M. Petry, and A. Simon, "Pressure Drop Reduction in Large Industrial Ducts by Macromolecular Additives, Part 1: Polymer Efficiency," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
21. Deslouis, C., I. Epelbow, C. Gabrielli, B. Tribollet, and L. Viet, "Electrochemical Studies of the Hydrodynamic Drag Reduction by Polymer Additives," 2nd International Conference on Drag Reduction, University of Cambridge (1977).

22. Deslouis, C., I. Epelboin, B. Tribollet, and L. Viet, "Use of Electrochemical Methods for the Study of Mass Transfer and Drag Reduction in Polymer Solutions Close to a Wall," Paper 77-FE-32, ASME Conference, New Haven, Connecticut (Jun 1977).
23. Dimant, Y. and M. Poreh, "Heat Transfer in Flows with Drag Reduction," in "Advances in Heat Transfer," Vol. 12, T.F. Irvine, Jr. and J.P. Hartnett, eds., pp. 77-113, Academic Press, New York (1976).
24. Dinkelacker, A., "On the Problem of Drag Reduction by Means of Compliant Walls" in "Special Course on Concepts for Drag Reduction," AGARD Report 654 (Jun 1977).
25. Dobrychenko, V.M., et al., "Reduction of Hydraulic Losses by Additions of Surfactants," Journal of Engineering Physics, Vol. 30, No. 2, pp. 154-157 (Feb 1976).
26. Drew, D.A., "Production and Dissipation of Energy in the Turbulent Flow of a Particle-Fluid Mixture with Some Results on Drag Reduction," Trans. ASME, Journal of Applied Mechanics, Vol. 43, Ser. E, No. 4, pp. 543-547 (Dec 1976).
27. Droblenkov, V.V. and L.S. Sitchenko, "Boundary Turbulence in Weak Polymer Solutions," Fluid Dynamics, Vol. 10, No. 4 (Jul-Aug 1975), (Sep 1976).
28. Dschagarowa, E. and G. Minnig, "Influence of Molecular Weight and Molecular Conformation of Polymers on Turbulent Drag Reduction," Rheologica Acta, Vol. 16, No. 3, pp. 309-316 (May-Jun 1977).
29. Dunlop, E.H. and L.R. Cox, "Influence of Molecular Aggregates on Drag Reduction," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S203-S213 (Oct 1977).
30. Edwards, B., "Laminar Flow Control-Concepts, Experiences, Speculations" in "Special Course on Concepts for Drag Reduction," AGARD Report 654 (Jun 1977).
31. Elata, C., J. Burger, J. Michlin, and U. Takserman, "Dilute Polymer Solutions in Elongational Flow," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S49-S54 (Oct 1977).
32. Fruman, D.H. and M.P. Tulin, "Effects of Additive Ejection on Lifting Hydrofoils," Paper 77-FE-27, ASME Conference, New Haven, Connecticut (Jun 1977).
33. Gates, E.M., "The Influence of Freestream Turbulence Freestream Nuclei Populations and a Drag-Reducing Polymer on Cavitation Inception on Two Axisymmetric Bodies," California Institute of Technology Report Eng. 183-2 (Apr 1977).

34. Ghajar, A.J. and W.G. Tiederman, "Prediction of Heat Transfer Coefficients in Drag Reducing Turbulent Pipe Flows," A.I.Ch.E. Journal, Vol. 23, No. 1, pp. 128-131 (Jan 1977).
35. Gorodtsov, V.A., "Power Laws of Reduced Turbulent Friction for Polymer Solutions," Journal of Engineering Physics, Vol. 28, No. 3, pp. 275-282 (Jun 1976).
36. Gorodtsov, V.A., "Logarithmic Equations for the Resistance of Turbulent Friction for a Viscous Liquid and Polymer Solutions," Journal of Engineering Physics, Vol. 29, No. 5, pp. 1403-1407 (10 Dec 1976).
37. Gorodtsov, V.A. and A.I. Leonov, "Reduction of Frictional Drag in Turbulent Flow of Viscoelastic Fluids," Fluid Mechanics - Soviet Research, Vol. 5, No. 5, pp. 132-155 (Sep-Oct 1976).
38. Granville, P.S., "Progress in Frictional Drag Reduction - Summer 1975 to Summer 1976," David Taylor Naval Ship R&D Center Report SPD-569-04 (Dec 1976).
39. Granville, P.S., "Scaling-Up of Pipe-Flow Frictional Data for Drag-Reducing Polymer Solutions," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
40. Granville, P.S., "A Prediction Method for the Viscous Drag of Ships and Underwater Bodies with Surface Roughness and/or Drag-Reducing Polymer Solutions," David Taylor Naval Ship R&D Center Report SPD-797-01 (Oct 1977).
41. Grythe, C.C., "Ethylene Oxide-Styrene Block Copolymer Surfaces for Turbulent Drag Reduction," Columbia University (Lowell Memorial Library) Report CCG-CU-76-08 (Jul 1976).
42. Gustavsson, L.H., "Drag Reduction Experiments with Polystyrene with Some Implications for the Mean Velocity Profile," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S120-S123 (Oct 1977).
43. Gyr, A., "Burst Cycle and Drag Reduction," Zeitschrift für angewandte Mathematik und Physik, Vol. 27, No. 6, pp. 717-725 (Nov 1976).
44. Gyr, A., "Effects of Polymer Additives on the Large Scale Structure of a Two-Dimensional Jet," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
45. Hanratty, T.J., L.G. Chorn, and D.T. Hatziavramidis, "Turbulent Fluctuations in the Viscous Wall Region for Newtonian and Drag Reducing Fluids," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S112-S119 (Oct 1977).

46. Hansen, R.J. and D.L. Hunston, "Further Observations on Flow-Generated Surface Waves in Compliant Surfaces," *Journal of Sound and Vibration*, Vol. 46, No. 4, pp. 593-596 (22 Jun 1976).
47. Hefner, J.N. and D.M. Bushnell, "An Overview of Concepts for Aircraft Drag Reduction," in "Special Course on Concepts for Drag Reduction," AGARD Report 654 (Jun 1977).
48. Hefner, J.N. and L.M. Weinstein, "Re-examination of Compliant Wall Experiments in Air with Water Substrates," *Journal of Spacecraft and Rockets*, Vol. 13, No. 8, pp. 502-503 (Aug 1976).
49. Hinch, E.J., "Mechanical Models of Dilute Polymer Solutions in Strong Flows," *Physics of Fluids*, Vol. 20, No. 10, Part 2, pp. S22-S30 (Oct 1977).
50. Hlaváček, B., J. Sangster, and J.F. Stanislav, "A Physical Model for the Origin of Turbulence," *Chemical Engineering Journal*, Vol. 10, No. 2, pp. 95-98 (Oct 1975).
51. Hlaváček, B. and J. Sangster, "General Aspects of Turbulence and Drag Reduction," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
52. Houlihan, T.M., J.N. Schimmels, and J.R. Fitts, "Turbulence Measurements in Dilute Polymer Wake Flows," Paper 77-FE-31, ASME Conference, New Haven, Connecticut (Jun 1977).
53. Hoyt, J.W., "Polymer Drag Reduction - A Literature Review, 1975-6," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
54. Hoyt, J.W. and J.J. Taylor, "Effect of Nozzle Shape and Polymer Additives on Water Jet Appearance," Paper 77-FE-16, ASME Conference, New Haven, Connecticut (Jun 1977).
55. Hunston, D.L., "Effects of Molecular Weight Distribution in Drag Reduction and Shear Degradation," *Journal of Polymer Science, Polymer Chemistry Edition*, Vol. 14, No. 3, pp. 713-727 (Mar 1976).
56. Hunston, D.L. and R.C. Little, "Potassium Polyphosphate and its Drag Reducing Properties," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
57. Ioselvich, V.A. and V.N. Pilipenko, "Drag of a Plane Plate in a Stream of a Polymer Solution Having Variable Concentration," *Fluid Dynamics*, Vol. 9, No. 1, pp. 47-51 (Jun 1975).

58. Jones, W.M., "The Flow of Dilute Aqueous Solutions of Macromolecules in Various Geometries: I. Introduction," *Journal of Physics D: Applied Physics*, Vol. 9, No. 5, pp. 721-733 (1 Apr 1976).
59. Jones, W.M., D.E. Marshall, and P.C. Walker, "The Flow of Dilute Aqueous Solutions of Macromolecules in Various Geometries: II. Straight Pipes of Circular Cross-Section," *Journal of Physics D: Applied Physics*, Vol. 9, No. 5, pp. 737-752 (1 Apr 1976).
60. Kalashnikov, V.N., A.M. Kudin, and S.A. Ordinartsev, "Influence of Polymer Admixtures on the Origin of Vortices in the Wake behind Slender Cylinders," *Journal of Engineering Physics*, Vol. 29, No. 6, pp. 1471-1474 (20 Dec 1976).
61. Kalashnikov, V.N., A.M. Kudin, and S.A. Ordinartsev, "Influence of Polymeric Additives on the Vortex Generation in the Wake of Thin Cylinders," *DISA Information*, No. 19, pp. 30-33 (Mar 1976).
62. Kale, D.D., "An Analysis of Heat Transfer to Turbulent Flow of Drag Reducing Fluids," *International Journal of Heat and Mass Transfer*, Vol. 20, No. 10, pp. 1077-1081 (Oct 1977).
63. Keller, A. and M.R. Mackley, "The Possible Relevance of Persistent Extensional Flow on the Interpretation of Drag Reduction Phenomena," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
64. King, W.S., J. Aroesty, L.S. Yao, and W. Matyskiela, "The Effects of Unsteady Potential Flow on Heated Laminar Boundary Layers in Water: Flow Properties and Stability," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
65. Kit, E. and M. Poreh, "Drag of Circular Cylinders in Dilute Polymer Solutions," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
66. Kolar, V. and J. Stastna, "Drag Reduction - A Special Case of Turbulent Flow of Liquid Systems," *Zeitschrift für angewandte Mathematik and Mechanik*, Vol. 56, No. 10, pp. T436-T439 (Oct 1976).
67. Kosecoff, M.A., D.R.S. Ko, and C.L. Merkle, "An Analytical Study of the Effect of Surface Roughness on the Stability of a Heated Water Boundary Layer," *Physical Dynamics, Inc. (Torrance, Cal.) Report PDT-76-131* (Nov 1976).
68. Kozlov, L.F. and A.I. Tsyganyuk, "Drag on Bodies of Revolution with Boundary-Layer Suction," *Fluid Mechanics-Soviet Research*, Vol. 5, No. 1, pp. 136-139 (Jan-Feb 1976).

69. Kramer, M.O., "Boundary Layer Control by Artificial Dolphin Coating," Naval Engineers Journal, Vol. 89, No. 5, pp. 41-45 (Oct 1977).
70. Kutateladse, S.S., "Turbulenz in Mehrphasenströmungen," Zeitschrift für angewandte Mathematik und Mechanik, Vol. 56, No. 10, pp. T443-T449 (Oct 1976).
71. Landahl, M.T., "Dynamics of Boundary Layer Turbulence and the Mechanism of Drag Reduction," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S55-S63 (Oct 1977).
72. Lang, B., "Widerstandsmessungen an einer Platte mit Ausspritzung von Polymerlösung," Schiff und Hafen, Vol. 28, No. 8, pp. 713-716 (Aug 1976).
73. Latta, B. and K.F. El Riedy, "Diffusion of Polymer Additives in a Developing Turbulent Boundary Layer," Journal of Hydronautics, Vol. 10, No. 4, pp. 135-139 (Oct 1976).
74. Lumley, J.L., "Drag Reduction in Two Phase and Polymer Flows," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S64-S71 (Oct 1977).
75. McComb, W.D., J. Allan, and C.A. Greated, "Effect of Polymer Additives on the Small-Scale Structure of Grid-Generated Turbulence," Physics of Fluids, Vol. 20, No. 6, pp. 873-879 (Jun 1977).
76. McComb, W.D. and S. Ayyash, "Effect of Drag-Reducing Polymers on Pulsation Noise of Small Air Bubbles," Nature, Vol. 262, No. 5563, pp. 47-48 (1 Jul 1976).
77. McConaghy, G.A. and T.J. Hanratty, "Influence of Drag Reducing Polymers on Turbulent Mass Transfer to a Pipe Wall," A.I.Ch.E. Journal, Vol. 23, No. 4, pp. 493-500 (Jul 1977).
78. McMichael, J.M. and N.E. Mease, "On the Application of Tension to Compliant Membranes," AIAA Journal, Vol. 14, No. 10, pp. 1490-1492 (Oct 1976).
79. Merkulov, V.I., "Problem of Reducing Hydrodynamic Drag," NASA-TT-F-17188 (Sep 1976).
80. Metzner, A.B., "Polymer Solution and Fiber Suspension Rheology and their Relationship to Turbulent Drag Reduction," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S145-S149 (Oct 1977).
81. Miyamoto, H., H. Akiyama, and Y. Tasaka, "Drag Reduction of an Oscillating Flat Plate Injecting Dilute Polymer Solutions," 2nd International Conference on Drag Reduction, University of Cambridge (1977).

82. Mizushina, T. and H. Usui, "Reduction of Eddy Diffusion for Momentum and Heat in Viscoelastic Fluid Flow in a Circular Tube," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S100-S108 (Oct 1977).
83. Moys, A.L., "Friction and Heat Transfer Reduction in Turbulent Flow of Dilute Asbestos Fiber Suspensions in Smooth and Rough Tubes," Ph.D. Thesis, California Institute of Technology (1976), (University Microfilms 76-20431).
84. Naudascher, E. and J.M. Killen, "Onset and Saturation Limit of Polymer Effects in Porous Media Flows," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S280-S283 (Oct 1977).
85. Oldaker, D.K. and W.G. Tiederman, "Spatial Structure of the Viscous Sublayer in Drag-Reducing Channel Flows," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S133-S144 (Oct 1977).
86. Ouibrahim, A., "Effect of Capillary Tube Diameter in Laminar Flows of Polymer Solutions," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
87. Patterson, G.K., J. Chosnek, and J.L. Zakin, "Turbulence Structure in Drag Reducing Polymer Solutions," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S89-S99 (Oct 1977).
88. Pfenninger, W., "Laminar Flow Control, Laminarization" in "Special Course on Concepts for Drag Reduction," AGARD Report 654 (Jun 1977).
89. Pokryvailo, N.A., D.A. Prokopchuk, and Z.P. Shulman, "Use of Laser Doppler Anemometer for the Investigation of Turbulent Flow of Polymer Solutions," Journal of Engineering Physics, Vol. 29, No. 6, pp. 1474-1478 (Dec 1976).
90. Pollert, J., "Hydrotransport of Fly Ash-Water Mixture and Drag Reduction," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
91. Poreh, M. and S. Hassid, "Mean Velocity and Turbulent Energy Closures for Flows with Drag Reduction," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S193-S196 (Oct 1977).
92. Poreh, M., J.P. Tullis, and J.A. Hooper, "Drag Reduction and Roughness Build-Up by TRO-375 Polyacrylamide Solution," 2nd International Conference on Drag Reduction, University of Cambridge (1977).

93. Povkh, I.L., et al, "Study of the Turbulent Flow of Solutions of Surface-Active Materials by Means of a Laser Anemometer," *Journal of Engineering Physics*, Vol. 29, No. 5, pp. 1408-1410 (10 Dec 1976).
94. Poznyaya, N.G., "Model of Turbulent Wall Flow of Dilute Polymer Solutions," *Fluid Mechanics - Soviet Research*, Vol. 5, No. 6, pp. 23-31 (Nov-Dec 1976).
95. Quraishi, A.Q., R.A. Mashelkar, and J.J. Ulbrecht, "Influence of Drag Reducing Additives on Mixing and Dispersing in Agitated Vessels," *A.I.Ch.E. Journal*, Vol. 23, No. 4, pp. 487-492 (Jul 1977).
96. Reed, T.D., "Hydrodynamic Drag of Disks with Compliant Membrane/Substrate Faces," Vought Corp. Advanced Technology Center Report B-94300/7CR-1 (Jan 1977).
97. Reshotko, E., "Drag Reduction in Water by Heating," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
98. Romanenko, E.V., "Acoustics and Hydrodynamics of Certain Marine Animals," *Soviet Physics-Acoustics*, Vol. 22, No. 4, pp. 357-358 (Jul-Aug 1976).
99. Roschke, E.J., "Undulations in Compliant Surfaces due to Flow on a Rotating Disk," *Journal of Sound and Vibration*, Vol. 46, No. 4, pp. 591-593 (22 Jun 1976).
100. Saffman, P.G., "Dependence of Effective Slip on Wall Roughness in Dilute Polymer Solutions," *Physics of Fluids*, Vol. 20, No. 10, Part 2, pp. S272-S275 (Oct 1977).
101. Savins, J.G. and F.A. Seyer, "Drag Reduction Scale-Up Criteria," *Physics of Fluids*, Vol. 20, No. 10, Part 2, pp. S78-S84 (Oct 1977).
102. Sellin, R.H.J., "Increasing Sewer Capacity by Polymer Dosing," *Proceedings of Institution of Civil Engineers*, Vol. 63, Part 2, pp. 49-67 (Mar 1977).
103. Sedov, L.I., V.A. Ioselevich, V.N. Pilipenko, and N.G. Vasetskaya, "Turbulent Diffusion and Destruction of Polymer Molecules in a Pipe and Boundary Layer," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
104. Sedov, L.I., N.G. Vasetskaya, and V.A. Ioselevich, "Calculation of Turbulent Boundary Layers in the Presence of Low Polymer Concentrations," *Fluid Mechanics - Soviet Research*, Vol. 5, No. 6, pp. 78-86 (Nov-Dec 1976).

105. Sellin, R.H.J. and E.J. Loeffler, "Drag Reduction Measurements with Poly(acrylic Acid) Under Different Solvent pH and Salt Conditions," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
106. Sharma, R.S., V. Seshadri, and R.C. Malhotra, "Effect of Polymer Additives on the Process of Transition," Transactions of Society of Rheology, Vol. 21, No. 3, pp. 415-527 (Jul-Sep 1977).
107. Shenoy, A.V., "Drag Reduction with Surfactants at Elevated Temperatures," Rheologica Acta, Vol. 15, No. 11-12, pp. 658-664 (Nov-Dec 1976).
108. Shulman, Z.P., N.A. Pokryvailo, D.A. Prokopchuk, and A.K. Nesterov, "Specific Properties of Turbulent Mass Transfer at the Wall in Dilute Polymer Solutions," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
109. Sinnarwalla, A.M. and T.R. Sundaram, "Lift and Drag Effects due to Polymer Injections on the Surface of Symmetric Hydrofoils," Hydronautics, Inc. Technical Report 7603-1 (Oct 1976).
110. Sirmalis, J.E., "A Study of the Drag Characteristics and Polymer Diffusion in the Boundary Layer of an Axisymmetric Body," Ph.D. Thesis, University of Rhode Island (1975), (University Microfilms 76-8960).
111. Slanec, K., "Mechanical Degradation of Dilute Solutions of Drag-Reducing Polymer in Pipe Inlets," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
112. Stenberg, L.-G., T. Lagerstedt, and E.R. Lindgren, "Polymer Additive Mixing and Turbulent Drag Reduction," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S276-S278 (Oct 1977).
113. Stenberg, L.-G., T. Lagerstedt, O. Sehlén, and E.R. Lindgren, "Mechanical Mixing of Polymer Additive in Turbulent Drag Reduction," Physics of Fluids, Vol. 20, No. 5, pp. 858-859 (May 1977).
114. Thew, M.T., Y.T. Lee, R.F. Long, and R. Bragg, "Experiments with Soluble Polymeric Drag-Reducing Coatings," 2nd International Conference on Drag Reduction, University of Cambridge (1977).
115. Tiederman, W.G. and M.M. Reischman, "Calculation of Velocity Profiles in Drag-Reducing Flows," Journal of Fluids Engineering, Trans. ASME, Vol. 98, Series I, No. 3, pp. 563-566 (Sep 1976).
116. Tiederman, W.G., A.J. Smith, and D.K. Oldaker, "Structure of the Viscous Sublayer in Drag-Reducing Channel Flows" in "Turbulence in Liquids," J.L. Zakin and G.K. Patterson, eds., pp. 312-322 (Proceedings of 4th Symposium on Turbulence in Liquids (Sep 1975), Science Press, Princeton, NJ).

117. Tomita, Y. and T. Jotaki, "Effects of Elongational Viscosity of Polymer Solution on Taylor-Görtler Vortices," *Physics of Fluids*, Vol. 20, No. 10, Part 2, pp. S75-S77 (Oct 1977).
118. Toms, B.A., "On the Early Experiments on Drag Reduction by Polymers," *Physics of Fluids*, Vol. 20, No. 10, Part 2, pp. S3-S5 (Oct 1977).
119. Tsahalis, D.T., "On the Theory of Skin Friction Reduction by Compliant Walls," *AIAA 10th Fluids and Plasmadynamics Conference* (Jun 1977).
120. Tulin, M.P. and J. Wu., "Additive Effects on Free Turbulent Flows," *Physics of Fluids*, Vol. 20, No. 10, Part 2, pp. S109-S111 (Oct 1977).
121. Tullis, J.P., M. Poreh, and J.A. Hooper, "Polymer Injection into a Developing Boundary Layer," *Colorado State University Engineering Research Center, Hydromachinery Laboratory Report 71* (Mar 1976).
122. Virk, P.S., "Conformational Effects in Drag Reduction by Polymers," *Nature*, Vol. 262, No. 5563, pp. 46-47 (1 Jul 1976).
123. Virk, P.S. and T. Suraiya, "Mass Transfer at Maximum Drag Reduction," *2nd International Conference on Drag Reduction*, University of Cambridge (1977).
124. Wazzan, A.R. and C. Gazley, Jr., "The Combined Effects of Pressure Gradient and Heating on the Stability and Transition of Water Boundary Layers," *2nd International Conference on Drag Reduction*, University of Cambridge (1977).
125. Weinstein, L.M. and R. Balasubramanian, "An Electrostatically Driven Surface for Flexible Wall Drag Reduction Studies," *2nd International Conference on Drag Reduction*, University of Cambridge (1977).
126. Willmarth, W.W. and T.J. Bogar, "Survey and New Measurements of Turbulent Structure Near the Wall," *Physics of Fluids*, Vol. 20, No. 10, Part 2, pp. S9-S21 (Oct 1977).
127. Wu, J., D.H. Fruman, and M.P. Tulin, "Drag Reduction by Polymer Diffusion into a Pure-Water Boundary Layer at High Reynolds Numbers," *2nd International Conference on Drag Reduction*, University of Cambridge (1977).
128. Yang, J.-N. and R.A. Heller, "Random Vibration of Compliant Wall," *Journal of the Engineering Mechanics Division, Proceedings A.S.C.E.*, Vol. 102, No. EM6, pp. 1041-1057 (Dec 1976).

129. Zakin, J.L. and D.L. Hunston, "Mechanical Degradation and Drag Reducing Efficiency of Dilute Solutions of Polystyrene," 2nd International Conference on Drag Reduction, University of Cambridge (1977)
130. Zakin, J.L., C.C. Ni, R.J. Hansen, and M.M. Reischman, "Laser Doppler Velocimetry Studies of Early Turbulence," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S85-S88 (Oct 1977).
131. Zakin, J.L., R. Pinaire, and M.E. Borgmeyer, "Transport of Crude Oil as Oil-in-Water Emulsions," Paper 77-FE-26, ASME Conference, New Haven, Connecticut (Jun 1977).
132. Zimmermann, G., "Drag Reduction by Compliant Walls: Theory" in "Special Course on Concepts for Drag Reduction," AGARD Report 654 (Jun 1977).
133. Zimmermann, G., "Drag Reduction by Compliant Walls," Physics of Fluids, Vol. 20, No. 10, Part 2, pp. S214-S215 (Oct 1977).
134. Barker, S.J. and C.G. Jennings, "The Effect of Wall Heating upon Transition in Water Boundary Layers," in "Laminar-Turbulent Transition," AGARD Report CP-224 (Oct 1977).
135. Straziar, A.J. and E. Reshotko, "Stability of Heated Laminar Boundary Layers in Water" in "Laminar-Turbulent Transition," AGARD Report CP-224 (Oct 1977).

#### **DTNSRDC ISSUES THREE TYPES OF REPORTS**

**1. DTNSRDC REPORTS, A FORMAL SERIES, CONTAIN INFORMATION OF PERMANENT TECHNICAL VALUE. THEY CARRY A CONSECUTIVE NUMERICAL IDENTIFICATION REGARDLESS OF THEIR CLASSIFICATION OR THE ORIGINATING DEPARTMENT.**

**2. DEPARTMENTAL REPORTS, A SEMIFORMAL SERIES, CONTAIN INFORMATION OF A PRELIMINARY, TEMPORARY, OR PROPRIETARY NATURE OR OF LIMITED INTEREST OR SIGNIFICANCE. THEY CARRY A DEPARTMENTAL ALPHANUMERICAL IDENTIFICATION.**

**3. TECHNICAL MEMORANDA, AN INFORMAL SERIES, CONTAIN TECHNICAL DOCUMENTATION OF LIMITED USE AND INTEREST. THEY ARE PRIMARILY WORKING PAPERS INTENDED FOR INTERNAL USE. THEY CARRY AN IDENTIFYING NUMBER WHICH INDICATES THEIR TYPE AND THE NUMERICAL CODE OF THE ORIGINATING DEPARTMENT. ANY DISTRIBUTION OUTSIDE DTNSRDC MUST BE APPROVED BY THE HEAD OF THE ORIGINATING DEPARTMENT ON A CASE-BY-CASE BASIS.**